

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**1 April 2008**

**(For the Period 15 March 2008 to 31 March 2008)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-D-70826A NOT 2	Detonator, Electric, PA537 Parts for and Loading, Assembling, and Packing [CUST: AR]	A	1375		AR	12-MAR-2008
M	MIL-L-70828A NOT 2	Lead, Explosive, PA534 Parts for and Loading, Assembling and Packing [CUST: AR]	A	1375		AR	12-MAR-2008
N	MIL-DTL-32290	Explosive, Plastic-Bonded, Cast PBXIIH-137 [CUST: OS]	D	1376		OS	19-MAR-2008
M	A-A-59145A	Spraying Unit, Cleaning-Deicing-Anti-Icing Fluid, Truck Mounted [CUST: 99]	A	1730	/	84	31-MAR-2008
M	A-A-59635A	Bearing, Ball, Annular, Single Row, Angular Contact, Contact Angle 33 Degrees through 45 Degrees, Dimension Series 04 [CUST: AT OS 99] [REVIEW: 11 84 AR GL SH]	A	3110	/	GS4	26-MAR-2008
M	A-A-59636A	Bearing, Ball, Annular, Double Row, Angular Contact, Non-Filling Slot, Vertex of Contact Angles Outside Bearing, Dimension Series 32 [CUST: AT OS 99] [REVIEW: 11 84 AR GL SH]	A	3110	/	GS4	26-MAR-2008
M	A-A-59637A	Bearing, Ball, Annular, Double Row, Angular Contact, Non-Filling Slot, Vertex of Contact Angles Outside Bearing, Dimension Series 33 [CUST: AT OS 99 GS4] [REVIEW: 11 AR GL SH]	A	3110	/	GS4	26-MAR-2008
N	SAE-AS21429	Bearing, Roller, Antifriction, Rod End, External Thread, Self-Aligning, Air Frame, -67 Degrees F to 350 Degrees F, Type 1, Heavy Duty, Sealed [CUST: AV AS 99 GS]	A	3110		AS	24-MAR-2008
M	QPL-6000-25 NOT 1	Hose, Rubber (Fuel, Oil, Coolant, Water and Alcohol) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	20-MAR-2008
M	QPL-8788-22 NOT 1	Hose, Rubber, Hydraulic, High Pressure (3,000 PSI) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	20-MAR-2008
M	QPL-8790-8 NOT 1	Hose Assemblies, Rubber, Hydraulic High Pressure (3000 PSI) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	21-MAR-2008
M	QPL-8794-26 NOT 1	Hose, Elastomeric - Hydraulic Fluid, Fuel, and Oil Resistant (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	20-MAR-2008
M	QPL-960-28 NOT 1	Traps, Steam, Intermittent Discharge and Continuous Flow, Naval Shipboard	A	4730		SH	26-MAR-2008
M	QPL-8789-22 NOT 1	Fitting End, Attachable Hydraulic High-Pressure (3,000 PSI), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	20-MAR-2008
M	MIL-PRF-32278A	Gauge, Tactical Automated Tank (TATG) [CUST: 99]	A	4930		84	26-MAR-2008
M	MIL-DTL-81969/39B	Installing and Removal Tool, Connector Electrical Contacts, Type III, Class 2 Composition B [CUST: CR AS 11] [REVIEW: 19 99 AR AT CC CR4 EC GL GS MC MI OS SH]	A	5120		AS	28-MAR-2008
M	QPL-17191-37 NOT 1	Mounts, Resilient; Portsmouth Bonded Spool Type (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5340		SH	27-MAR-2008
M	QPL-17508-40 NOT 1	Mounts, Resilient: Types 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, and 6E900BB (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5340		SH	27-MAR-2008
M	MIL-PRF-22/3D(2)	Resistors, Variable, (Wirewound, Power Type), (Unenclosed), Style RP10 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC OS]	A	5905		CC	18-MAR-2008
M	QPL-6749-13 NOT 1	Resistor, Variable, Wire Wound, Nonprecision, Aircraft Power (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	20-MAR-2008
M	QPL-7790-9 NOT 1	Resistor, Thermocouple Lead Spool (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	20-MAR-2008
M	MIL-PRF-55365/12D(1)	Capacitors, Chip, Fixed, Tantalum, Polarized Established Reliability and Nonestablished Reliability, Style CWR15 [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI OS SH]	A	5910		CR	14-MAR-2008
M	QPL-11693-52 NOT 1	Capacitors, Feed Through, Radio-Interference Reduction, DC (Hermetically Sealed in Metal Cases), Established and Non-Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	25-MAR-2008
M	QPL-6807-15 NOT 1	Switch, Rotary, Selector Power, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	20-MAR-2008
M	QPL-9395-19 NOT 1	Switches, Pressure (Absolute, Gage and Differential) General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	25-MAR-2008
M	QPL-9419-16 NOT 1	Switch, Toggle, Momentary, Four-Position on, Center off, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	25-MAR-2008
M	QPL-12211-14 NOT 1	Switch, Pressure (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	25-MAR-2008
M	QPL-13484-13 NOT 1	Switch, Sensitive: 30 Volts, Direct Current Maximum, Waterproof (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	26-MAR-2008
M	QPL-15291-25 NOT 1	Switches, Rotary, Snap Action and Detent/Spring Return Action, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	26-MAR-2008
M	MIL-DTL-3655/13B(1)	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWTNC, Jam Nut Mounted) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/14B(1)	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWTNC) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/15B(2)	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWBNC) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/16B(2) NOT 1	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin, TWBNC) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/17A(1)	Connector, Plug, Electrical, Class I (Coaxial, Series Twin, TWTNC, Right Angle) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/22B(1) NOT 1	Connector, Receptacle, Electrical, Class I (Coaxial, Series TWIN, TWTNC, BULKHEAD) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935		CC	18-MAR-2008
M	MIL-DTL-3655/23B(1) NOT 1	Connector, Receptacle, Electrical, Class I (Coaxial, Series TWIN, TWBNC, BULKHEAD) [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT MC MI OS SH]	A	5935		CC	18-MAR-2008
M	QPL-9177-13 NOT 1	Connector, Audio, Airborne, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935		CC	20-MAR-2008
M	QPL-15305-96 NOT 1	Coils, Fixed and Variable, Radio Frequency General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5950		CC	26-MAR-2008
M	MIL-PRF-1/22J(1) NOT 1	Electron Tube, Gas Switching Type 1B35A, 1B37A, 6162 and 5864 [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH]	A	5960		CC	18-MAR-2008
M	MIL-PRF-1/26E NOT 1	Electron Tube, Gas Switching TType 1B63A [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC]	A	5960		CC	25-MAR-2008
M	MIL-PRF-1/273K NOT 1	Electron Tubes, Cathode Ray Types 5CP1A , 5CP1B , and 5CP12 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5960		CC	25-MAR-2008
M	MIL-PRF-1/846L	Electron Tube, Magnetron Type 2J51A [CUST: CR EC 11 CC]	A	5960		CC	17-MAR-2008
M	MIL-PRF-1/1339E	Electron Tube, Cathode Ray Type 5AMP1A [CUST: CR EC CC] [REVIEW: AS CG MC MI OS SA]	A	5960		CC	17-MAR-2008
M	MIL-PRF-1/1612B	Electron Tube, Gas Type 7620 [CUST: EC CC] [REVIEW: CG MC]	A	5960		CC	17-MAR-2008

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/117R	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N962B-1 through 1N992B-1, and 1N962BUR-1 through 1N992BUR-1, 1N962C-1 through 1N992C-1, and 1N962CUR-1 through 1N992CUR-1, and 1N962D-1 through 1N992D-1, 1N962DUR-1 through 1N992DUR-1, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	18-MAR-2008
M	MIL-PRF-19500/118J	Semiconductor Device, Diode, Silicon, Types 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, and 1N5196US, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC NA] [REVIEW: 19 AR AS MC MI]	A	5961		CC	27-MAR-2008
M	MIL-PRF-19500/127U	Semiconductor Devices, Diode, Silicon, Voltage Regulator, Types 1N4370A-1 through 1N4372A-1 and 1N746A-1 through 1N759A-1, 1N4370AUR-1 through 1N4372AUR-1 and 1N746AUR-1 through 1N759AUR-1, 1N4370C-1 through 1N4372C-1 AND 1N746C-1 through 1N759C-1, 1N4370CUR-1 through 1N4372CUR-1 and 1N746CUR-1 through 1N759CUR-1, 1N4370D-1 through 1N4372D-1 and 1N746D-1 through 1N759D-1, 1N4370DUR-1 through 1N4372DUR-1 and 1N746DUR-1 through 1N759DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AV MC MI SM]	A	5961		CC	19-MAR-2008
M	MIL-PRF-19500/156N	Semiconductor Device, Diode, Silicon, Low Level Voltage-Reference Temperature Compensated, Types 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, and 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1, and 1N940BUR-1, JAN, JANTX, JANTXV, and JANS, Radiation Hardened (Total Dose Only ) Types JANTXVM, D, L, R, F, G, H, JANSM, D, L, R, F, G, H [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	18-MAR-2008
M	MIL-PRF-19500/157R	Semiconductor Device, Diode, Silicon, Voltage-Reference, Temperature Compensated, Types 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N946B-1, 1N941BUR-1, 1N943BUR-1, 1N944BUR-1, 1N945BUR-1, and 1N946BUR-1, JAN, JANTX, JANTXV, and JANS, Radiation Hardened (Total Dose Only) JANTXVM, D, L, R, F, G, H, and JANSM, D, L, R, F, G, H [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC SM]	A	5961		CC	18-MAR-2008
M	MIL-PRF-19500/384F	Semiconductor Device, Transistor, NPN, Silicon High-Power, Types 2N3584, 2N3585, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH SM]	A	5961		CC	25-MAR-2008
M	MIL-PRF-19500/402E	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N3739, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC NA] [REVIEW: 19 AS AV MC MI SH SM]	A	5961		CC	12-MAR-2008
M	MIL-PRF-19500/435J	Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N4099-1 through 1N4135-1, 1N4614-1 through 1N4627-1, 1N4099UR-1 through 1N4135UR-1, 1N4614UR-1 through 1N4627UR-1, Plus C and D Tolerance Suffix Devices, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 70 99 AR AS AV MC MI SM]	A	5961		CC	25-MAR-2008
M	MIL-PRF-19500/437H	Semiconductor Device, Diode, Silicon, Low-Noise Voltage Regulator, Types 1N5518B-1, 1N5518C-1, 1N5518D-1 through 1N5546B-1, 1N5546C-1, 1N5546D-1, 1N5518BUR-1, 1N5518CUR-1, 1N5518DUR-1 through 1N5546BUR-1, 1N5546CUR-1, 1N5546DUR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 99]	A	5961		CC	25-MAR-2008
M	MIL-PRF-19500/452H	Semiconductor Device, Diode, Silicon, Low Level Voltage-Reference, Temperature Compensated, Types 1N4565A-1 through 1N4584A-1, and 1N4565AUR-1 through 1N4584AUR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC, Radiation Hardened (Total Dose Only) Types JANTXVM, D, L, R, F, G, H; JANSM, D, L, R, F, G, H; JANHCM, D, L, R, F, G, H; and JANKCM, D, L, R, F, G, H [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	26-MAR-2008
M	MIL-PRF-19500/463H	Semiconductor Device, Diode, Silicon, Current Regulator, Types 1N5283-1 through 1N5314-1, and 1N5283UR-1 through 1N5314UR-1, 1N7048-1 through 1N7055-1, 1N7048UR-1 through 1N7055UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	26-MAR-2008
M	MIL-PRF-19500/616F	Semiconductor Device, Diode, Silicon, Power Rectifier, Dual, Common Cathode or Anode Center Tap, Ultrafast, Types 1N6657 through 1N6659 and 1N6657R through 1N6659R, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	27-MAR-2008
M	MIL-PRF-19500/646D	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultrafast, Types 1N6774 through 1N6777, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 11 CC NA] [REVIEW: MI]	A	5961		CC	25-MAR-2008
M	MIL-PRF-19500/711 NOT 1	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Types 2N7541T3, 2N7542U3, 2N7543T3 and 2N7544U3 JAN, JANTX, JANTXV, JANHC and JANKC [CUST: CR EC 11 CC NA] [REVIEW: AR MI]	A	5961		CC	25-MAR-2008
M	QPL-12606-17 NOT 1	Loudspeaker, Permanent Magnet (Unencased, 3-Inch and 4-Inch Diameter Cone, 2-Watt; Fungus-, and Immersion-Resistant), Type LS-445/U, M12606-01, and M12606-02 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5965		CC	25-MAR-2008
N	SAE-AMS-I-7444	Insulation Sleeving, Electrical, Flexible [CUST: AS 11 GS] [REVIEW: 99 SH]	A	5970		11	19-MAR-2008
M	MIL-DTL-25707/2B(1) NOT 1	Antenna, Flush Mount (Radius of Curvature - 14.90 Inches) [CUST: 11 CC]	A	5985		CC	31-MAR-2008
M	MIL-DTL-39030E(1) SUP 1	Dummy Loads, Electrical, Coaxial and Stripline, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AV MC MI OS SH]	A	5985		CC	13-MAR-2008
M	QPL-17221-36 NOT 1	Transformers, Power, Distribution; Single Phase, 400 Hertz, Insulation System Class 220C, Dry (Air Cooled), (Naval Shipboard Use)(Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6120		SH	26-MAR-2008
N	A-A-59810	Battery, Non-Rechargeable, 9 VDC (Lithium) [CUST: CR]	A	6135	/	CR	13-MAR-2008
M	MIL-PRF-8565/14(1) NOT 1	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS]	A	6140		AS	24-MAR-2008
M	MIL-C-17/75F(1) NOT 2	Cable, Radio Frequency Flexible Coaxial 50 OHMS M17/75-RG214 and M17/75-RG365 [CUST: CR EC 11 CC] [REVIEW: 19 99 AM AS AT CR4 IS MC MI OS SH]	A	6145		CC	28-MAR-2008
N	MIL-PRF-32212	Light Emitting Diode (LED) Composite Stop, Rear Turn Signal and Tail Lamps with Infra-Red Secure Blackout Tail and Blackout Stop Lamps [CUST: AT MC 99] [REVIEW: AS AV CG CR IS YD]	A	6220		AT	19-MAR-2008
N	MIL-PRF-32215	Light Emitting Diode (LED) Infra-Red Secure Blackout Front Driving Lamp [CUST: AT MC 99] [REVIEW: 03 11 71 AS AV CG CR IS YD]	A	6220		AT	24-MAR-2008
M	MIL-PRF-83419D	Altimeter, Servo Controlled, Automatic Pressure Standby [CUST: 71] [REVIEW: 99 GS]	A	6610		71	19-MAR-2008
M	MIL-DTL-16034B	Meters, Electrical-Indicating (Switchboard and Portable Types), General Specification for [CUST: CR SH 99] [REVIEW: 11 84 AR AS EC GL MC MI]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/1B	Voltmeters, DC, Switchboard, 4.5-Inch, 250-Degree Scale [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/2C	Ammeters, DC, Switchboard, 4.5-Inch, 250-Degree Scale [CUST: CR SH 99] [REVIEW: 11 AR AV GL MC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/3B	Voltmeters, AC, Switchboard, 4.5-Inch, 250-Degree Scale [CUST: CR SH 99] [REVIEW: CR4 EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/4B	Ammeters, AC, Switchboard, 4.5-Inch, 250-Degree Scale [CUST: CR SH 99] [REVIEW: CR4 EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/5A	Voltmeters, DC, Switchboard, 6-Inch, 90-Degree Scale [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/6A	Ammeters, DC, Switchboard, 6-Inch, 90-Degree Scale [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/7A	Voltmeters, AC, Switchboard, 6-Inch, 90-Degree Scale [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-16034/8A	Ammeters, AC, Switchboard, 6 Inch, 90-Degree Scale [CUST: CR SH 99]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/9A	Voltmeters, AC and DC, Portable, 0.25-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/10A	Ammeters, AC and DC, Portable, 0.25-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/11A	Voltmeters, DC, Portable, 0.25-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/12A	Ammeters, DC, Portable, 0.25-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/13A	Voltmeters, AC, Portable, 0.75-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/14A	Ammeters, AC, Portable, 0.75-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/15A	Voltmeters, DC, Portable, 0.5-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/16A	Ammeters, DC, Portable, 0.5-Percent Accuracy Class [CUST: CR SH 99] [REVIEW: EC]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/17A	Voltmeters, DC, Switchboard, 8.75-Inch, 250-Degree Scale [CUST: SH]	A	6625		SH	13-MAR-2008
M	MIL-DTL-16034/18A	Ammeters, DC, Switchboard, 8.75-Inch, 250-Degree Scale [CUST: SH]	A	6625		SH	13-MAR-2008
N	A-A-59804	Synthesized Sweep/Signal Generator 10 MHz to 26.6 GHz [CUST: 99]	A	6625	/	84	31-MAR-2008
M	MIL-DTL-3971F	Meters, Time Totalizing, Non-Hermetically Sealed, Electrical: General Specification for [CUST: AR SH 99 GS1]	A	6645		GS1	18-MAR-2008
M	MIL-PRF-29608A	Cleaning and Cleaning-Lubricating Compounds, Electrical Contact [CUST: AS]	A	6850		AS	31-MAR-2008
N	AA-V-2940	Vault System, Armory, Assembled [CUST: AR YD 99 IS]	A	7110	*	YD	20-FEB-2008
M	A-A-52193F	Food Container, Insulated, with Inserts [CUST: GL4 SA 99 SS] [REVIEW: 35 84 MC MD1 QM1]	A	7330	/	SS	24-MAR-2008
M	MIL-PRF-3420H	Wrapping Materials, Volatile Corrosion Inhibitor Treated, Opaque [CUST: SM AS 11] [REVIEW: AT AV DH EA MC OS SA SH YD]	A	8135		AS	31-MAR-2008
M	MIL-PRF-22191F	Barrier Materials, Transparent, Flexible, Heat-Sealable [CUST: GL AS 11] [REVIEW: AT CC CR4 EA MC MI OS SA SH SM YD]	A	8135		AS	31-MAR-2008
M	MIL-DTL-11484/299 NOT 1	Lapel Button, Korea Defense Service Medal [CUST: IH NU 11] [REVIEW: CG CT MC]	A	8455		IH	28-MAR-2008
M	MIL-STD-3010B	Test Procedures for Packaging Materials [CUST: SM AS 11] [REVIEW: 99 AR AV CR3 GL3 MI MR OS SA SH]	A	PACK		AS	31-MAR-2008
M	MIL-DTL-81310G	Manuals, Technical: Airborne Weapons/Stores Loading/Weapons Assembly/Support Equipment Configuration [CUST: AS] [AMSC: N9039]	A	TMSS		AS	31-MAR-2008
M	MIL-STD-40051-1(3)	Preparation of Digital Technical Information for Interactive Electronic Technical Manuals (IETMs) [CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	21-MAR-2008
M	MIL-STD-40051-2(3)	Preparation of Digital Technical Information for Page-Based Technical Manuals [CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	21-MAR-2008
M	MIL-HDBK-1222C(3)	Guide to the General Style and Format of U.S. Army Work Package Technical Manuals [CUST: TM MC] [REVIEW: AC1 AR AT AV CR EA MI PT]	A	TMSS		TM	21-MAR-2008

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS39212H	Sleeves, Compression, Tube-Hose Fitting-Safety Sleeve Type [CUST: AT SH CC] [REVIEW: AR AS MC SA]	A	4730	CC		24-MAR-2008
M	MS51825H	Sleeves, Clinches, Tube Fitting, Flareless Type, Hydraulic [CUST: AR SH 99 CC] [REVIEW: AS AT AV GL MC MI SA]	A	4730	CC		24-MAR-2008
M	AN105301THRUAN105400 REV 3(1) NOT 2	Bolt - Cres Hex Head .625-18 [CUST: AV AS 99] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN105401THRUAN105500 REV 3(1) NOT 2	Bolt - Cres Hex Head .750-15 [CUST: AV AS 99] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN105501THRUAN105600 REV 3(1) NOT 2	Bolt - Cres Hex Head, Drilled Shank, .190-32 [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN107301THRUAN107400 REV 3(1) NOT 2	Bolt - Cres Drilled Hex Head, 6 Holes, .190-32 [CUST: AV AS 99 IS] [REVIEW: 71 MI]	A	5306	IS		28-MAR-2008
M	AN107701THRUAN107800 REV 3(1) NOT 2	Bolt - Cres Drilled Hex Head, 6 Holes, .4375-20 [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN107801THRUAN107900 REV 3(1) NOT 2	Bolt - Cres Drilled Hex Head, 6 Holes, .500-20 [CUST: AV AS 99]	A	5306	IS		28-MAR-2008
M	AN107901THRUAN108000 REV 3(1) NOT 1	Bolt - Cres Drilled Hex Head, 6 Holes, .5625-18 [CUST: AV AS 99 IS] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN108001THRUAN108100 REV 3(1) NOT 2	Bolt-Cres Drilled Hex Head, 6 Holes, .625-18 [CUST: AV AS 99] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	AN108101THRUAN108200 REV 3(1) NOT 2	Bolt - Cres Drilled Hex Head, 6 Holes, .750-16 [CUST: AV AS 99] [REVIEW: 71]	A	5306	IS		28-MAR-2008
M	MIL-DTL-6070C NOT 3	Plywood and Veneer, Aircraft Flat Panel [CUST: AS 99 IS]	A	5530	IS		26-MAR-2008
M	MIL-DTL-3655/1C	Connector, Plug, Electrical, Class I (Coaxial, Series Twin) Type UG-421B/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/2C	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin) Type UG-422/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/3C	Connector, Receptacle, Electrical, Class I (Coaxial, Series Twin) Type UG-423B/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/4C	Connector, Adapter, Electrical, Class I (Coaxial, Series Twin) Type UG-493A/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/5C	Connector, Adapter, Electrical, Class I (Coaxial, Series Twin) Type UG-981/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/6C	Connector, Receptacle, Electrical, Class II (Coaxial, Series Twin) Type UG-1057/U [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/8C	Connector, Adapter, Electrical, Class II (Coaxial, Series Twin) Type UG-1059/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/9E	Connector, Plug, Electrical, Class I (Coaxial, Series Twin) Type UG-1060A/U [CUST: CR EC 11 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/10B	Connector, Shield, Electrical, Class I (Coaxial, Series Twin) Type MX-1556/U [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-DTL-3655/11C	Connector, Shield, Electrical, Class I (Coaxial, Series Twin) TYPE UG-106/U [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV MC MI OS SH]	A	5935	CC		18-MAR-2008
M	MIL-PRF-19500/198E	Semiconductor Device, Thyristors, Types 2N1870A, 2N1871A, 2N1872A, and 2N1874A, JAN [CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI]	A	5961	CC		25-MAR-2008
M	MIL-DTL-23971/8A(1)	Power Dividers, Quadrature, Flat Pack [CUST: CR EC 11 CC] [REVIEW: AS MC OS]	A	5985	CC		19-MAR-2008
M	MIL-C-17/29C(1) NOT 4	Cable, Radio Frequency, Flexible Coaxial, 75 OHMS, M17/29-RG59 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT CR4 MC MI OS SH]	A	6145	CC		28-MAR-2008
M	MIL-C-17/78C NOT 3	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/78-RG217 and M17/78-00001 (Temperature Stabilized) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH YD]	A	6145	CC		28-MAR-2008
M	MIL-F-52637A(1) NOT 2	Filter Aids, Water Purification [CUST: AT] [REVIEW: IS MD]	A	9390	AT		25-MAR-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS21429B NOT 1	Bearing, Roller, Antifriction, Rod End, External Thread, Self-Aligning, Air Frame, -67 Degrees F to 350 Degrees F, Type 1, Heavy Duty, Sealed (S/S by SAE-AS21429) [CUST: AV AS 99 GS]	A	3110		AS	24-MAR-2008
M	A-A-59362 NOT 1	Dry Cleaning Unit Assembly, Fully Automatic, Synthetic Solvent, Perchloroethylene Type, 20-25 Pounds Capacity (Naval Shipboard) (No S/S Document) [CUST: SH]	A	3510	/	SH	27-MAR-2008
M	MS9580D(1) NOT 2	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, Silver Plated, .5625-18 UNJF-3A (No S/S Document) [CUST: AV AS IS]	A	5306		IS	26-MAR-2008
M	MS21293B NOT 2	Bolt, Machine-Steel, Drilled Double Hexagon, Extended Washer, .500-20 (MIL-S-8879 THREAD) (ASG) (No S/S Document) [CUST: AS IS]	A	5306		IS	26-MAR-2008
M	MIL-I-7444D(2) NOT 3	Insulation Sleeving, Electrical, Flexible (See Notice 3 for Replacement Information) [CUST: AS 11 GS] [REVIEW: 99 SH]	A	5970		11	19-MAR-2008
M	DOD-B-24541A(2) NOT 3	Battery Cells and Elements, Lead-Acid, Main Storage, Submarine; General Specification for (Metric) (See Notice 3 for Replacement Information) [CUST: SH]	A	6140		SH	13-MAR-2008
M	DOD-B-24541/2A NOT 2	Battery Cells and Elements, Lead-Acid, Main Storage, Submarine; Type Guppy I, Mod C (Metric) (See DOD-B-24541A, Notice 3 for Replacement Information) [CUST: SH]	A	6140		SH	13-MAR-2008
M	DOD-B-24541/3A NOT 2	Battery Cells and Elements, Lead-Acid, Main Storage, Submarine; Type Trident (Metric) (See DOD-B-24541A, Notice 3 for Replacement Information) [CUST: SH]	A	6140		SH	13-MAR-2008
M	MIL-W-76D(1) NOT 2	Wire and Cable, Hookup, Electrical, Insulated, General Specification for (No S/S Document) [CUST: CR SH 11 CC] [REVIEW: CR4 EA MI OS]	A	6145		CC	15-MAR-2008
M	MIL-C-3884B(1) NOT 2	Cord, Electrical (Short Lay) (No S/S Document) [CUST: CR SH 11 CC] [REVIEW: 71 AT AV CR4 MC]	A	6145		CC	15-MAR-2008
M	MIL-C-23437E(1) NOT 2	Cable, Special Purpose, Electrical (No S/S Document) [CUST: EC CC]	A	6145		CC	15-MAR-2008
M	MIL-C-28661A(1) NOT 3	Cable, Power, Electrical, High Voltage (No S/S Document) [CUST: CR OS 11 CC]	A	6145		CC	31-JAN-2008